

Configuration notes for InventionNavigator 3.0.1

Date: 08.07.2020

Firewall settings

Executable file

Allow "**InventionNavigator.exe**"

Services

The following firewall rules might be necessary:

Allow program client communication with "Sipserver" at the address

sipserver2.inventionnavigator.com, Port 1881 or 443

(e.g. outgoing firewall rule: allow port 1881)

IP : <own IP or net> port: <any port > 1024> to IP : 46.245.182.231 Port: 1881 or 443

Allow image server communication at

http://imageserver3.inventionnavigator.de, (Port 80)

IP : <own IP or net> port: <any Port > 1024> to IP : 46.245.182.241 Port: 80

The protocol is TCP in each case.

PDF-Download from Excel and Word (outside of program)

Opening embedded PDF-links in exported Excel- and Word documents will connect to the following address to execute a http query:

http://imageserver1.inventionnavigator.de/PDF.aspx?cc=..&docno=...&kd=...

Proxy server

Operating InventionNavigator behind proxy servers, needs the proxies to be configured to route the above connections to "Sipservice" and image service.

A) Proxy definition in the internet options (system web proxy):

The program client authentication works like web browser proxy authentication. The proxy authentication must be typed into a small window which will appear at program start (type in username/password).

B) User specific proxy definition:

Instead of internet options, a user defined proxy can be used. The proxy definition consists of the proxy name, proxy port and the authentication information (username/password).

The data is stored by the program client itself (in contrast to the system web proxy definition).

Accessing user specific proxy definition:

- a) Either from the login window directly (Button Options / proxy settings), or
- b) from the main window menu (Tools / Options)

The usage of the proxy is optional (if the checkbox "use proxy" is checked)

Notes: The function "Test & Save" only means, that the connection to proxy is working, it doesn't automatically mean, that the communication with SipService will.

The configuration is specific to the environment.

As there are different proxy servers, and different access- or authentication models.

For more detailed information see document "Proxy_functionality.docx" (use cases test)

Connection test

You can use the „netstat“ command to verify if the configuration setting is working. The following example shows established connections to SipService (46.245.182.231:1881), image service (46.245.182.241 [:80]) and an exemplary proxy server (localhost:3128).



```
C:\Windows\system32\cmd.exe
Microsoft Windows [Version 6.1.7601]
Copyright (c) 2009 Microsoft Corporation. Alle Rechte vorbehalten.

C:\>netstat

Aktive Verbindungen

  Proto Lokale Adresse           Remoteadresse           Status
  ----  -
  TCP    192.168.178.33:57097     46-245-182-231:1881    HERGESTELLT
  TCP    192.168.178.33:57371     46-245-182-241:http    HERGESTELLT
  TCP    [::1]:3128              MLEHNER-PC:57715      HERGESTELLT
```